Harrens®
Harrens Lab Inc
3507 Breakwater Ave
Hayward, CA 94545

(510) 887-8885
http://www.harrenslab.com
Lic# C8-0000021-LIC
DEA#: RH0490805

Sluggers 3g 3C Vape NYC DieselxMojitoxBubble Bath

Sample ID: HR20260790885
Matrix: Concentrates & Extracts
Type: Formulated Vape Oil
Sample Size: ; Batch:
Strain: NYC DieselxMojitoxBubble Bath

Produced:
Collected: 07/23/2026
Received: 07/23/2026
Completed: 07/28/2026
Batch#: SL-NM-23807

Client
H H Harvest CO
Lic. # 119132
23100 Foley St
Hayward, CA 94545



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/27/2026	Complete
Terpenes	07/27/2026	Complete
Residual Solvents	07/27/2026	Pass
Microbials	07/27/2026	Pass
Mycotoxins	07/27/2026	Pass
Pesticides	07/27/2026	Pass
Heavy Metals	07/27/2026	Pass
Foreign Matter	07/24/2026	Pass

Cannabinoids

Complete

ND	ND	73.96%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.20000	0.61000	ND	ND	ND	
Δ9-THC	0.15000	0.45000	ND	ND	ND	
Δ8-THC	0.14000	0.42000	72.14	721.40	2164.20	
THCV	0.15000	0.44000	ND	ND	ND	
THCp	0.03300	0.10000	0.75	7.50	22.50	
CBDa	0.10000	0.31000	ND	ND	ND	
CBD	0.15000	0.45000	ND	ND	ND	
CBN	0.16000	0.50000	0.59	5.90	17.70	
CBGa	0.29000	0.88000	ND	ND	ND	
CBG	0.13000	0.39000	ND	ND	ND	
CBC	0.14000	0.41000	0.48	4.80	14.40	
Total THC			**ND**	**ND**	**ND**	**ND**
Total CBD			**ND**	**ND**	**ND**	**ND**
Total			**73.96**	**739.60**	**2218.80**	**0.00**
Sum of Cannabinoids			**73.96**	**739.60**	**2218.80**	

Determination of Cannabinoids by HPLC, HL223
Total THC = Δ9-THCa * 0.877 + Δ9-THC + Δ8-THC
Total CBD = CBDa * 0.877 + CBD
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.

Nihari Perera PhD - Laboratory Director
07/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Sluggers 3g 3C Vape NYC DieselxMojitoxBubble Bath


Sample ID: HR20260790885
Matrix: Concentrates & Extracts
Type: Formulated Vape Oil
Sample Size: ; Batch:
Strain: NYC DieselxMojitoxBubble Bath

Produced:
Collected: 07/23/2026
Received: 07/23/2026
Completed: 07/28/2026
Batch#: SL-NM-23807

Client
H H Harvest CO
Lic. # 119132
23100 Foley St
Hayward, CA 94545

Terpenes (R&D)

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	mg/g	%
β-Caryophyllene	0.08000	0.1000	0.65	0.065
cis-Nerolidol	0.08000	0.1000	0.44	0.044
δ-Limonene	0.08000	0.1000	0.29	0.029
Caryophyllene Oxide	0.08000	0.1000	0.24	0.024
α-Humulene	0.08000	0.1000	0.18	0.018
Linalool	0.08000	0.1000	0.16	0.016
β-Myrcene	0.08000	0.1000	0.10	0.010
3-Carene	0.08000	0.1000	ND	ND
α-Bisabolol	0.08000	0.1000	ND	ND
α-Pinene	0.08000	0.1000	ND	ND
α-Terpinene	0.08000	0.1000	ND	ND
β-Ocimene	0.08000	0.1000	ND	ND
β-Pinene	0.08000	0.1000	ND	ND
Camphene	0.08000	0.1000	ND	ND
γ-Terpinene	0.08000	0.1000	ND	ND
Geraniol	0.08000	0.1000	ND	ND
Guaiol	0.08000	0.1000	ND	ND
Isopulegol	0.08000	0.1000	ND	ND
p-Cymene	0.08000	0.1000	ND	ND
Terpinolene	0.08000	0.1000	ND	ND
trans-Nerolidol	0.08000	0.1000	ND	ND
Total			**2.06**	**0.206**



Primary Aromas

Cinnamon | Flowers | Lemon | Wood | Hops

Date Tested: 07/27/2026
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID

Nihari Perera PhD - Laboratory Director
07/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Sluggers 3g 3C Vape NYC DieselxMojitoxBubble Bath

Sample ID: HR20260790885
Matrix: Concentrates & Extracts
Type: Formulated Vape Oil
Sample Size: ; Batch:
Strain: NYC DieselxMojitoxBubble Bath

Produced:
Collected: 07/23/2026
Received: 07/23/2026
Completed: 07/28/2026
Batch#: SL-NM-23807

Client
H H Harvest CO
Lic. # 119132
23100 Foley St
Hayward, CA 94545

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.07	0.1	ND	Pass	Fludioxonil	0.02	0.07	0.1	ND	Pass
Acephate	0.02	0.07	0.1	ND	Pass	Hexythiazox	0.03	0.09	0.1	ND	Pass
Acequinocyl	0.03	0.08	0.1	ND	Pass	Imazalil	0.03	0.09	0.03	ND	Pass
Acetamiprid	0.02	0.07	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.08	0.03	ND	Pass	Kresoxim Methyl	0.02	0.05	0.1	ND	Pass
Azoxystrobin	0.02	0.06	0.1	ND	Pass	Malathion	0.02	0.05	0.5	ND	Pass
Bifenazate	0.02	0.07	0.1	<LOQ	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.04	0.11	3	<LOQ	Pass	Methiocarb	0.02	0.06	0.02	ND	Pass
Boscalid	0.02	0.07	0.1	ND	Pass	Methomyl	0.02	0.07	1	ND	Pass
Captan	0.06	0.19	0.7	ND	Pass	Mevinphos	0.03	0.08	0.03	ND	Pass
Carbaryl	0.03	0.08	0.5	ND	Pass	Myclobutanil	0.02	0.06	0.1	ND	Pass
Carbofuran	0.03	0.09	0.03	ND	Pass	Naled	0.01	0.03	0.1	ND	Pass
Chlorantraniliprole	0.02	0.06	10	ND	Pass	Oxamyl	0.03	0.09	0.5	ND	Pass
Chlordane	0.03	0.08	0.03	ND	Pass	Paclobutrazol	0.03	0.09	0.03	ND	Pass
Chlorfenapyr	0.02	0.07	0.02	ND	Pass	Parathion Methyl	0.02	0.07	0.02	ND	Pass
Chlorpyrifos	0.01	0.04	0.01	ND	Pass	Pentachloronitrobenzene	0.02	0.05	0.1	ND	Pass
Clofentezine	0.03	0.09	0.1	ND	Pass	Permethrin	0.02	0.07	0.5	<LOQ	Pass
Coumaphos	0.02	0.07	0.02	ND	Pass	Phosmet	0.03	0.09	0.1	ND	Pass
Cyfluthrin	0.02	0.07	2	ND	Pass	Piperonyl Butoxide	0.03	0.08	3	ND	Pass
Cypermethrin	0.02	0.06	1	ND	Pass	Prallethrin	0.03	0.08	0.1	ND	Pass
Daminozide	0.02	0.07	0.02	ND	Pass	Propiconazole	0.03	0.09	0.1	ND	Pass
Diazinon	0.01	0.03	0.1	ND	Pass	Propoxur	0.03	0.08	0.03	ND	Pass
Dichlorvos	0.03	0.08	0.03	ND	Pass	Pyrethrins	0.01	0.04	0.5	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.03	0.09	0.1	ND	Pass
Dimethomorph	0.03	0.08	2	ND	Pass	Spinetoram	0.02	0.07	0.1	ND	Pass
Ethoprophos	0.03	0.08	0.03	ND	Pass	Spinosad	0.03	0.08	0.1	ND	Pass
Etofenprox	0.02	0.06	0.02	ND	Pass	Spiromesifen	0.03	0.09	0.1	ND	Pass
Etoxazole	0.02	0.07	0.1	ND	Pass	Spirotetramat	0.02	0.07	0.1	ND	Pass
Fenhexamid	0.03	0.09	0.1	ND	Pass	Spiroxamine	0.03	0.08	0.03	ND	Pass
Fenoxycarb	0.02	0.07	0.02	ND	Pass	Tebuconazole	0.03	0.08	0.1	ND	Pass
Fenpyroximate	0.03	0.08	0.1	ND	Pass	Thiacloprid	0.02	0.06	0.02	ND	Pass
Fipronil	0.03	0.08	0.03	ND	Pass	Thiamethoxam	0.03	0.08	5	ND	Pass
Flonicamid	0.02	0.07	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 07/27/2026
We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15719.

Nihari Perera PhD - Laboratory Director
07/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Sluggers 3g 3C Vape NYC DieselxMojitoxBubble Bath

Sample ID: HR20260790885
Matrix: Concentrates & Extracts
Type: Formulated Vape Oil
Sample Size: ; Batch:
Strain: NYC DieselxMojitoxBubble Bath

Produced:
Collected: 07/23/2026
Received: 07/23/2026
Completed: 07/28/2026
Batch#: SL-NM-23807

Client
H H Harvest CO
Lic. # 119132
23100 Foley St
Hayward, CA 94545

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	ND	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	ND	Pass
Isopropanol	2.03	6.14	5000	ND	Pass
Methanol	2.26	6.86	3000	ND	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	ND	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	4.48	13.59	2170	ND	Pass

Date Tested: 07/27/2026
ND = Not Detected; SOP HL231. Headspace GC-FID. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15718.

Nihari Perera PhD - Laboratory Director
07/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Sluggers 3g 3C Vape NYC DieselxMojitoxBubble Bath

Sample ID: HR20260790885
Matrix: Concentrates & Extracts
Type: Formulated Vape Oil
Sample Size: ; Batch:
Strain: NYC DieselxMojitoxBubble Bath

Produced:
Collected: 07/23/2026
Received: 07/23/2026
Completed: 07/28/2026
Batch#: SL-NM-23807

Client
H H Harvest CO
Lic. # 119132
23100 Foley St
Hayward, CA 94545

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella spp.	Not Detected in 1g	Pass

Date Tested: 07/27/2026
NR = Not Reported;Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317. Microbial Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15720 and §15722. Unless otherwise stated all quality control samples performed within specifications established by the laboratory.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.1	3.4		ND	Tested
Aflatoxin B2	1.3	4		ND	Tested
Aflatoxin G1	2.8	8.4		ND	Tested
Aflatoxin G2	1.4	4.2		ND	Tested
Total Aflatoxins	6.6	20	20	ND	Pass
Ochratoxin A	2.8	8.4	20	ND	Pass

Date Tested: 07/27/2026
SOP HL 240. Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15721.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.059	0.179	0.2	ND	Pass
Cadmium	0.005	0.014	0.2	ND	Pass
Lead	0.055	0.168	0.5	ND	Pass
Mercury	0.005	0.017	0.1	ND	Pass

Date Tested: 07/27/2026
SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15723.

Nihari Perera PhD - Laboratory Director
07/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.